Remodeling & Demolition

ARTILLERY®
Pry Bar System

Product Guide



www.artillerytools.com

Adjustable Leverage for Prying, Scraping & Bending

Now You Can Always Find the Right Tool for the Job. The patented Artillery Pry Bar System speeds demolition in the construction industry, and replaces the odds & ends in your tool box that never seem to fit the job. Interchangeable blades, fulcrums and handles deliver maximum force when removing flooring, siding and roofing. System tools are contained in a sturdy carrying case for safe transport and efficient organization at the job site.

Remove Trim or Bring Down the Entire Building. Regardless of careful planning, sometimes the job site presents unexpected challenges. That is where the Artillery Tool System shines. Armed with one of our sets, the worker can arrive at the job site knowing they can handle a wide array of prying and scraping needs with confidence. The strength and craftsmanship of each component adds to the versatility of the entire system.

Tool Mapping and the Competitive Edge. Whether an independent specialist, or a large general contracting firm, professional estimators that understand the Artillery Tool Bar System can walk through a job site and specify the tool to use for each task. Mapping the tool to the task specifies methods that expedite workflow and provides an effective management weapon for controlling cost and gaining the competitive advantage.

Table of Contents

System tools come in sets that include custom cases. *Each set includes a user's manual with assembly instructions, safety procedures, suggested usage, and details on the twelve month manufacturer's warranty. Individual tools can be ordered & replacement parts are available for all assemblies.*

Blades are engineered for durability & fashioned from drop forged spring steel for strength & flexibility. *An assortment of specialized blades enable the worker to quickly switch from one task to the next. For instance, he or she could surgically remove sensitive trim & fascia with the ¾" Blade, then switch to the 3" Blade to remove wallboard, finally switching to the 6" Scraper to remove linoleum.*

Fulcrums offer a secure mount to blades & handles & are made of extruded aircraft aluminum for reduced weight. *Special purpose fulcrums change the radius & angle for a more suitable range of motion, placing appropriate force for best results. For prying, the interchangeability of blades adds to the effectiveness of the tool for specific uses. For scraping, when a blade is attached to a fulcrum, the two points of contact give the user more control over the depth of penetration.*

Handles are made of carbon steel tubing for lightweight tensile strength. *Handle lengths were designed for maximum leverage to weight ratios. For instance, longer steel handles add weight & length for easier removal of flooring, whereas shorter handles or the fiberglass handle offer agility & less weight when working overhead.*

Modular System
Components are interchangeable, connectable and replaceable. Item weights listed are approximate.

- The Mini Head will fit all handles, but will accept only the Mini Blade.
- For safety purposes, the handles will not connect to each other. However, all handles will fit the solid alloy tool steel 12" extension (H-EX-12).

ARTILLERY® TOOLS

Artillery Tools LLC
10260 SW Hoodview Drive
Tigard, OR 97224
Phone: 503-968-2108

Modular Sets
Contractor Set CO-1000-ADS 4
Disaster Restoration Set. . . . DR-1200-SM 5
Flooring Set. CO-600-FL 6
Contractor Starter Set CO-1000-STR. 7
Professional Set HC-600-P 8
Homeowners Set. DIY-500-HOM 8

Blades, Scrapers, & Pullers
Tapered ¾" Blade. A-75-B 9
Standard 1¾" Blade A-175-B. 9
Standard 3" Blade A-300-B. 9
Mini 1¾" Blade M-175-B 9
Spike Puller Blade A-138-SB 9
Finish Nail & Staple Blade . . A-150-FSB 9
Scraping 6" Blade. A-600-B. 9
Deck Blade. A-500-DB 9
Roofing 8" Blade A-800-B. 9
Salvage Blade A-350-SLV 9

Fulcrums, Heads & Fasteners
Standard Fulcrum A-500-F. 9
Mini Fulcrum. M-100-F 9
Decking Fulcrum A-700-75-F. 9
Fulcrum Extension F-500-EX. 9
Fulcrum Ext Bolt. B-200-F 9
Blade Fasteners (6) S-312-F 9
Mini Head. . . . . HD-ASSY-M 9
Rebar Bender Head. RB-250-H 9
Buried Nail Head BN-100-H 9
Toe Kick TO-3-K 9

Handles, Grip & Cap
Handle Extension 12" H-EX-12. 10
Handle Steel 15". H-ASSY-15 10
Mallet Bolt B-75-H. 10
Ball Grip & Cap H-260-BC 10
Handle Steel 25". H-ASSY-25 10
Handle Fiberglass 25". FG-25-H 10
Handle Fiberglass 13". FG-13-H 10

Cases & Tools
Contractor Case CA-1000-RE 10
Professional Case. H-500-AC 10
Wrench 10" Adjustable A-10-WR 10
Screwdriver #4 Phillips A-6-SD. 10

Pry Bar Assemblies
Artillery 40" Decking Bar . . . RF-40-DB 11
Ultra Light Mini 31" Bar UL-31-MB 11
Mini Head 21" Bar M-HD-21 11
Mini Head 31" Bar M-HD-31 11
Standard 24" Bar S-FL-24 11
Standard 34" Bar S-FL-34 11
Artillery 46" Bar 3B-FL-46 11
17" Buried Nail Bar BN-17-BR 11
Artillery 39" Rebar Bender . RB-39-BR 11

Contractor Set



Contractor Set
CO-1000-ADS

Visit artillerytools.com to see video clips of system advantages & comparisons with conventional tools.

Flexibility & Versatility

The Artillery Pry Bar System allows contractors to cut the demolition time on every job. This set offers a very wide array of prying & scraping capabilities. Additional specialty tools can be added as needed.

Case Specifications

Dimensions ..... 37″ x 13″ x 4½″
Case & Contents ..... 31 lbs.

Standard Assemblies

Length 21″ ..... 3 lbs. 5 oz.
Length 34″ ..... 5 lbs. 10 oz.
Length 46″ ..... 9 lbs. 1 oz.

Set Includes the Following

Contractor Case CA-1000-RE
Steel Extension 12″..... H-EX-12
Handle Steel 15″ H-ASSY-15
Handle Steel 25″..... H-ASSY-25
Tapered ¾″ Blade A-75-B
Standard 1¾″ Blade..... A-175-B
Standard 3″ Blade..... A-300-B
Scraping 6″ Blade A-600-B
Spike Puller A-138-SB
Fulcrum Extender..... F-500-EX
Fulcrum Standard..... A-500-F
Mini Head..... HD-ASSY-M
Wrench 10″ A-10-WR
Fasteners (6)..... S-312-F
Screwdriver #4 Phillips A-6-SD
Mallet Bolt B-75-H



Mini Head included with the Contractors Set, shown here smaller than actual size.

Disaster Restoration Set



Disaster Restoration Set

DR-1200-SM

Visit artillerytools.com to see video clips of the tools in action as they quickly scrape, pry, wedge and leverage through the most difficult of jobs.

Flexibility & Versatility

The Disaster Restoration Set (DR) Includes everything you need for quick, safe, and comfortable removal of flooring, sheetrock lathe & plaster. The DR case has one open storage spot for an additional blade up to 8" wide. The DR case will also hold either the 25" steel or the 25" fiberglass handle. Keep one of these handles assembled, so you can keep the other one stored in the case.

Case Specifications

Dimensions ..... 37" x 13" x 4½"
Case & Contents ..... 37 lbs.

Standard Assemblies

Length 21" ..... 3 lbs. 5 oz.
Length 28" ..... 4 ibs. 10oz
Length 34" ..... 5 lbs. 10 oz.
Length 46" ..... 9 lbs. 1 oz.
Other Combinations Possible.

Set Includes the Following

Contractor Case CA-1000-RE
Steel Extension 12" H-EX-12
Handle Steel 15" H-ASSY-15
Handle Steel 25" H-ASSY-25
Handle Fiberglass 25" FG-25-H
Tapered ¾" Blade A-75-B
Standard 1¾" Blade A-175-B
Standard 3" Blade A-300-B
Scraping 6" Blade A-600-B
Spike Puller A-138-SB
Finish Nail & Staple Blade A-150-FSB
Deck Blade A-500-DB
Decking Fulcrum A-700-75-F
Fulcrum Extender F-500-EX
Fulcrum Standard A-500-F
Mini Head ..... HD-ASSY-M
Ball Grip & Cap H-260-BC
Wrench 10" A-10-WR
Fasteners (6) S-312-F
Screwdriver #4 Phillips A-6-SD
Mallet Bolt B-75-H

Flooring Set

Flooring Set
CO-600-FL

Lateral Support
This set was designed to boost the productivity of the flooring specialist.
At up to 48″ in length & over 9 lbs., the extra length & weight offer a more upright posture & more inertia for scraping & blade penetration. The fulcrum extension adds lateral stability & control. The Ball Grip adds balance & comfort.

Set Includes the Following

Contractor Case	CA-1000-RE
Steel Extension 12″	H-EX-12
Handle Steel 25″	H-ASSY-25
Standard 3″ Blade	A-300-B
Scraping 6″ Blade	A-600-B
Spike Puller Blade	A-138-SB
Fulcrum Extender	F-500-EX
Fulcrum Standard	A-500-F
Wrench 10″	A-10-WR
Fasteners (6)	S-312-F
Screwdriver #4 Phillips	A-6-SD
Ball Grip & Cap	H-260-BC

Visit artillerytools.com to see video clips that show how quickly the system scrapes & removes a variety of flooring materials including linoleum, hardwood, tile & sub flooring.

Case Specifications
Dimensions .....37″ x 13″ x 4½″
Case & Contents .....26 lbs.

Standard Assemblies
Length 34″ ..... 5 lbs. 10 oz.
Length 46″ ..... 9 lbs. 1 oz.

Flooring Set includes the components for this assembly, shown here smaller than actual size.

Contractor Starter Set

Contractor Starter Set
CO-1000-STR

The Contractor Case has a special place for the Deck Fulcrum & the Deck Blade. Visit artillerytools.com to see video clips of the tools in action.

Add Tools of Your Choice
The Contractor Starter Set introduces the basics of the system. Set includes the largest system case to keep your tools organized & mobile, with capacity to add components as your requirements & interests expand.

Case Specifications
Dimensions ..... 37″ x 13″ x 4½″
Case & Contents ..... 21 lbs.

Standard Assemblies
Length 24″ ..... 4 lbs. 2oz.
Length 34″ ..... 5 lbs. 10oz.

Set Includes the Following
Contractors Case CA-1000-RE
Steel Handle 15″ H-ASSY-15
Steel Handle 25″ H-ASSY-25
Standard 1¾″ Blade A-175-B
Scraping 6″ Blade A-600-B
Standard Fulcrum A-500-F
Adj. Wrench 10″ A-10-WR
Stainless Steel Screws (6) S-312-F
Phillips #4 Screwdriver A-6-SD
Mallet Bolt B-75-H

Spike Puller Blade shown at actual size. The blade can be ordered separately & will fit in the Contractors Case.

Professional Set

Professional Set
HC-600-P



Compact Case Holds the Basics
Contains the minumim tools that every contractor should have for efficiency at the job site. Additional specialty items can be added as needed.
Additional items will not fit in case.

Case Specifications
Case Dimensions.....28" x 11" x 4"
Case & Content.....18 lbs.
Standard Assemblies
Length 34".....5 lbs 10 oz.
Length 46".....9 lbs. 1 oz.

Includes the Following
Professional Case.....H-500-AC
Steel Extension 12".....H-EX-12
Handle Steel 25".....H-ASSY-25
Standard 3" Blade.....H-300-B
Scraping 6" Blade.....A-600-B
Standard Fulcrum.....A-500-F
Wrench 10" Adjustable...A-10-WR
Fastners (6).....S-312-F
Screwdriver #4 Phillips..A-6-SD
Mallet Bolt.....B-75-H

Homeowners Set

Homeowners Set
DIY-500-HOM

Residential Maintenance & Remodel
Whether repairing a fence, rebuilding a deck, removing an awning, or replacing indoor/outdoor carpeting, this set will save hours of time. For remodeling projects, the homeowner can add system components as needed to do their own tear out like a pro.

Case Specifications
Case Dimensions.....28" x 11" x 4"
Case & Contents.....16 lbs.
Standard Assemblies
Length 24".....4lbs. 2 oz.
Length 34".....5 lbs. 10 oz.

Includes the following
Steel Handle 15" H-ASSY-15
Steel Handle 25".....H-ASSY-25
Standard 1 ¾" Blade.....A-175-B
Scraping 6" Blade A-600-B
Standard Fulcrum.....A-500-F
Wrench 10" Adjustable.....A-10-WR
Fasteners (6).....S-312-F
Screwdriver #4 Phillips A-6-SD
Mallet Bolt B-75-H

Blades, Scrapers, & Pullers

Tapered ¾" Blade
A-75-B

Concentrates force. Scrape, pry & chisel in narrow places. Remove moldings & trim.

Standard 1¾" Blade
A-175-B

Use in narrow areas, for general prying, scraping & removal of trim.

Standard 3" Blade
A-300-B

Use for general prying, scraping, & removal of surfaces.

Salvage Blade
A-350-SLV

Specality Item

New operating angle, tapered profile, side cutting abilities, penetrates easier, less damage. Used on Siding, flooring, trim and more.

Spike Puller Blade
A-138-SB

Use to pull large nails, spikes & screws. Concentrates force.

Finish Nail & Staple Blade
A-150-FSB

Specality Item

Removes staples from flooring, roofing, cabinetry. Removes exposed nails.

Scraping 6" Blade
A-600-B

Use for prying, scraping, & removal of siding & flooring.

Mini 1¾" Blade
M-175-B

Replacement blade for Mini Fulcrum. Great for overhead & narrow area mobility.

Deck Blade
A-500-DB

Specality Item

Straddles trusses, joists & studs to remove decking, sheetrock, lathe & plaster.

Roofing 8" Blade
A-800-B

Specality Item

Scrape & remove roofing & carpeting. Diffuses force to affect wider area.

Fulcrums, Heads & Fasteners

Standard Fulcrum
A-500-F

Replacement for standard fulcrum used in sets. Accepts all but Mini Blade.

Mini Fulcrum
M-100-F

Replacement for Mini Fulcrum. Fits blade M-175-B.

Decking Fulcrum
A-700-75-F

Specality Item

Changes prying angle to up-right pushing or pulling motions.

Fulcrum Extension
F-500-EX

Adds lateral stability for wider blades. Very useful for all flooring & scraping

Toe Kick
TO-3-K

Specality Item

Bolts to fulcrum extenders. Allows foot to push bar if needed. Adds beneficial weight to bar. Hand hold if needed.

Blade Fasteners (6)
S-312-F

Stainless steel, attaches blades to fulcrum.

Mini Head
HD-ASSY-M

Lightest fulcrum & blade. Shorter pivot point amplifies prying force. Fits all handles, accepts only Mini Blade.

Rebar Bender Head
RB-250-H



Specality Item

Bend up to $\frac{5}{8}$" rebar & remove form ties. Dual slots & small size enable multiple positions & ground-level bending Tempered alloy tool steel.

Buried Nail Head
BN-100-H

Specality Item

Fits all handels. Pulls embedded nails, screws, anything it can grip. Creates up to 42" cat-paw

Fulcrum Ext Bolt
B-200-F

Bolts fulcrum extenders together.

Handles, Grip & Cap

Handle Extension 12″
H-EX-12

Provides extra reach, weight & maximum leverage. Enables a taller posture when scraping & prying. Fits all handles.

Handle Steel 15″
H-ASSY-15

Steel handle, shortest pry bar. Accepts Ball Grip. Accepts Mallet Bolt to protect end when tapping. Use wooden or plastic mallet only.

Mallet Bolt
B-75-H

Mallet Bolt prevents damage to end of 15″ Steel Handle when tapping.

Handle Steel 25″
H-ASSY-25

Vinyl foam grip for better grasp & all-weather comfort. Accepts Ball Grip.

Ball Grip & Cap
H-260-BC

Specality Item

The Ball Grip screws onto the end of the 15″ & 25″ steel handles offering a wide & comfortable grasp. Cap protects end when Ball Grip uninstalled. Ships with complete instructions for fitting to 25″ handle.

Replacement Cap
H-100-C

Handle Fiberglass 13″
FG-13-H

Specality Item

Lightweight and small enough to allow access for demolition in extremely tight spaces. Vinyl foam grip for better grasp.

Handle Fiberglass 25″
FG-25-H

Specality Item

Weighs 1¾ lbs. Lightweight but strong. 50% lighter than our steel handle. Strong, solid & non-conductive. Makes over-head prying easier. Vinyl foam grip for better grasp. Will not accept Ball Grip.

Cases & Tools

Contractor Case
CA-1000-RE

Molded High Density Polyethylene (HDPE). Keeps components organized & minimizes loss. Will not rust, protects sharp edges, safer storage. Stainless steel latches keep case shut while in transit. Lock slot provided.

Professional Case
H-500-AC

Molded HDPE. Keeps components organized & minimizes loss. Will not rust, protects sharp edges, safer storage. Strong double snaps keep case shut while in transit. Lock slot provided.

Wrench 10″ Adjustable
A-10-WR

Quick installation of multiple-size handles & bolts. Jaws open extra wide to fit attachments.

Screwdriver #4 Phillips
A-6-SD

Tighten/loosen blade screws, Ball Grip & Cap, 12″ Extension Handle and Buired Nail Head

Pry Bar Assemblies

Artillery 40″ Decking Bar RF-40-DB

Deck Fulcrum & Deck Blade with 12″ Extension & 25″ Steel Handle. Changes prying angle to an upright pushing or pulling motion. Stradels trusses, joists, and studs. Lets you stand on decking while removing deck boards. Assembly weighs 9ibs 8oz*

Ultra Light Mini 31″ Bar UL-31-MB

Mini Head with Fiberglass 25″ Handle. Hold pry bar in one hand & remove material with the other hand for greater control. Fiberglass Handle is 50% lighter than our steel handle, is strong, solid & non-conductive. Mini Head accepts Mini Blade only. Bar assembly weighs 3 lbs. 3 oz.

Mini Head 21″ Bar M-HD-21

Mini Head with Steel 15″ Handle. Fits tool belt loop. Lightweight pry bar that accepts Mallet Bolt to protect end when tapping. Great for overhead use, working from a ladder, tight places & excellent for removing siding. Mini Head accepts Mini Blade only. Bar assembly weighs 3 lbs. 6 oz. *

Mini Head 31″ Bar M-HD-31

Mini Head with Steel 25″ Handle. Handle adds reach & weight when needed. Blade not interchangeable. Assembly weighs 5 lbs. 4 oz. *

17″ Buried Nail Bar
BN-17-BR

Tempered Tool Steel Head. Insulated shock absorbing grip, fits well in hand.
Shortest nail pulling configuration.
Pulls anything it can grip.
Assembly weight 2 lbs. 3oz.

Standard 24″ Bar S-FL-24



Standard Fulcrum & Standard 1¾″ Blade with Steel 15″ Handle. Lightweight bar with mallet tapping capability. Deeper penetration in tight spaces than Mini Head. Assembly weighs 4 lbs. 2 oz. *

Standard 34″ Bar S-FL-34

Standard Fulcrum & Standard 1¾″ Blade with Steel 25″ Handle. Medium length bar with good prying motion & reach. Assembly weighs 5 lbs. 10 oz. *

Artillery 46″ Bar 3B-FL-46

Standard Fulcrum & Standard 3″ Blade with 12″ Extension & 25″ Steel Handle. Longer & heavier bar for extra reach & force, better posture for flooring & roofing. Assembly weighs 9 lbs. *

Artillery 39″ Rebar Bender RB-39-BR

Rebar Head with 12″ Extension & 25″ Steel Handle

Enables custom bending by hand at job site. Bends up to $\frac{5}{8}$″ rebar & removes form ties. Assembly weighs 8 lbs. 12 oz. *

* Accepts Ball Grip.

The Artillery Pry Bar System

Enables you to change your demolition tools to suit your tear out needs.

THE ONLY TOOL SYSTEM OF IT'S KIND, AND IT WORKS !

12-Month Limited Warranty

This product is warranted to the original retail purchaser against any proven defects in material or workmanship for 12 months from date of original purchase. This warranty does not cover abuse, normal wear and tear, misuse, failure to follow directions or improper adjustment of tool system. Artillery Tools will replace any part that proves to be defective in materials or workmanship. To obtain a replacement under this warranty, return the item(s) and the original receipt, shipping prepaid, to Artillery Tools LLC, 10260 SW. Hoodview Dr., Tigard, OR 97224. After parts have been deemed defective, your replacement parts will be shipped to you free of charge. The purchaser must supply a copy of the original receipt for any defective parts to be replaced. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

www.artillerytools.com

Artillery Tools LLC
10260 SW Hoodview Drive
Tigard, OR 97224
Phone: 503-968-2108